

ACE - ACE Archiver compression file.
AIF - Audio Interchange File used with SGI and Macintosh applications.
ANI - Animated cursors used in Microsoft Windows.
API - Application Program Interface.
ART - Clipart.
ASC - ASCII text file.
ASM - Assembler code.
ASP - Microsoft Active Server Page.
AVI - Audio/Video Interleaved used for Windows based movies.
BAK - Backup Files.
BAS - BASIC programming language sourcecode.
BAT - MS-DOS batch file.
BFC - Briefcase document used in Windows.
BIN - Binary File.
BIN - MacBinary-encoded files.
BMP - Bitmap format.
BUD - Backup Disk for Quicken by Intuit.
BZ2 - Bzip2-compressed files.
C - C source file.
CAT - Security Catalog file.
CBL - Cobol code.
CBT - Computer Based Training.
CDA - Compact Disc Audio Track.
CDT - Corel Draw Template file.
CFML - ColdFusion Markup Language.
CGI - Common Gateway Interface. Web based programs and scripts.
CHM - Compiled HTML Help files used by Windows.
CLASS - Javascript Class file.
CLP - Windows Clipboard file.
CMD - Dos Command File.
COM - Command File.
CPL - Control panel item - The settings in Control Panels represent CPL files in the Windows\System folder.
CPP - C++ programming language source code.
CSS - Cascading Style Sheet. Creates a common style reference for a set of web pages.
CSV - Comma Separated Values format.
CMF - Corel Metafile.
CUR - Cursor in Microsoft Windows.
DAO - Registry Backup file for Windows registry.
DAT - Data file.
DD - Compressed Archive by Macintosh DiskDoubler.
DEB - Debian packages.
DEV - Device Driver.
DIC - Dictionary file.
DIR - Macromedia Director file.
DLL - Dynamic Linked Library. Microsoft application file.
DOC - Document format for Word Perfect and Microsoft Word.
DOT - Microsoft Word Template.
DRV - Device Driver.
DS - TWAIN Data source file.
DUN - Dial-up networking configuration file.
DWG - Autocad drawing.

DXF - Autocad drawing exchange format file.
EMF - Enhanced Windows Metafile.
EML - Microsoft Outlook e-mail file.
EPS - Encapsulated PostScript supported by most graphics programs.
EPS2 - Adobe PostScript Level II Encapsulated Postscript.
EXE - DOS based executable file which is also known as a program.
FFL - Microsoft Fast Find file.
FFO - Microsoft Fast Find file.
FLA - Macromedia Flash movie format.
FNT - Font file.
GIF - Graphics Interchange Format that supports animation. Created by CompuServe and used primarily for web use.
GID - Windows global index. Contains the index information used by "Help" in Windows.
GRP - Microsoft Program Manager Group.
GZ - Unix compressed file.
HEX - Macintosh binary hex(binhex) file.
HLP - Standard help file.
HT - HyperTerminal files.
HQX - Macintosh binary hex(binhex) file.
HTM - Hyper Text Markup. This markup language is used for web design.
HTML - Hyper Text Markup Language. This markup language is used for web design.
ICL - Icon Library File.
ICM - Image Color Matching profile.
ICO - Microsoft icon image.
INF - Information file used in Windows.
INI - Initialization file used in Windows.
JAR - Java Archive. A compressed java file format.
JPEG - Compression scheme supported by most graphics programs and used predominantly for web use.
JPG - More common extension for JPEG described above.
JS - JavaScript File - A text file containing JavaScript programming code.
LAB - Microsoft Excel mailing labels.
LGO - Windows 9x startup logo.
LIT - eBooks in Microsoft Reader format.
LNK - Windows 9x shortcut file.
LOG - Application log file.
LSP - Autocad(visual) lisp program.
MAQ - Microsoft Access Query.
MAR - Microsoft Access Report.
MDB - Microsoft Access DataBase File.
MDL - Rose model file. Opens with Visual Modeler or Rational Rose.
MID - MIDI music file.
MOD - Microsoft Windows 9.x kernel module.
MOV - Quicktime movie.
MP3 - MPEG Audio Layer 3.
MPEG - Animation file format.
MPP - Microsoft Project File.
MSG - Microsoft Outlook message file.
MSG - Fidonet messages.
NCF - Netware command File.
NLM - Netware loadable Module.
O - Object file, used by linkers.

OCX - ActiveX Control: A component of the Windows environment.

OGG - Ogg Vorbis digitally encoded music file.

OST - Microsoft Exchange/Outlook offline file.

PAK - WAD file that contains information about levels, settings, maps, etc for Quake and Doom.

PCL - Printer Control Language file. PCL is a Page Description Language developed by HP.

PCT - Macintosh drawing format.

PDF - Portable Document File by Adobe. Viewable in a web browser or with Adobe Acrobat.

PDF - Printer Description File. Provides printer support for certain applications.

PDR - Port driver for windows 95. It is actually a virtual device driver (vxd).

PHP - Web page that contains a PHP script.

PHTML - Web page that contains a PHP script.

PIF - Program Information File

PIF - Vector graphics GDF file(IBM Mainframe)

PIF - Macintosh Compressed archive

PL - Perl source code file.

PM - Perl Module.

PM3 - PageMaker 3.0 document.

PM4 - PageMaker 4.0 document.

PM5 - PageMaker 5.0 document.

PM6 - PageMaker 6.0 document.

PNG - Portable Network Graphic file.

POL - System Policy file for Windows NT.

POT - Microsoft PowerPoint design template.

PPD - PostScript Printer description file used in Macintosh and Windows operating systems to provide printer specific features to a driver.

PPS - Microsoft PowerPoint slide show.

PPT - Microsoft PowerPoint presentation(default extension).

PRN - A print file created as the result of "printing to file".

PS - PostScript file.

PSD - Native Adobe Photoshop format.

PSP - Paint Shop Pro image.

PST - Personal Folder File for Microsoft Outlook.

PUB - Microsoft Publisher document.

PWL - Windows Password list file.

QIF - Quicken Import file.

RAM - RealAudio Metafile.

RAR - RAR compressed archive created by Eugene Roshall.

RAW - Raw File Format.

RDO - Raster Document Object. Proprietary file type used on Xerox Digipath Scan and Makeready workstations.

REG - Registry file that contains registry settings.

RM - RealAudio video file.

RPM - RedHat Package Manager.

RSC - Standard resource file.

RTF - Rich Text Format.

SCR - Screen Saver file.

SEA - Self-extracting archive for Macintosh Stuffit files.

SGML - Standard Generalized Markup Language.

SH - Unix shell script.

SHTML - HTML file that supports Server Side Includes(SSl).

SIT - Compressed Macintosh Stuffit files.

SMD - SEGA mega drive ROM file.

SVG - Adobe scalable vector graphics file.

SWF - Shockwave Flash file by Macromedia.

SWP - DOS swap file.

SYS - Windows system file used for hardware configuration or drivers.

TAR - Unix Tape Archive.

TGA - Targa bitmap.

TIFF - Tagged Image File Format. Universal graphics format supported by most graphics applications.

TMP - Windows temporary file.

TFE - True Type font.

TXI - Text Format.

UDF - Uniqueness Definition File. Used for Windows unattended installations.

UUE - UU-encoded file.

VBX - Microsoft Visual basic extension.

VM - Virtual Memory file.

VXD - Windows 9x virtual device driver.

WAV - Waveform sound file.

WMF - Windows Metafile (graphics format).

WRI - Write Document: This is equivalent to RTF, Rich Text Format, that enables saving text with formatting information.

WSZ - Winamp Skin.

XCF - The GIMP's native image format.

XIF - Wang imaging file. Wang Image Viewer comes with Windows 95/2000.

XIF - Xerox Image file (same as TIFF).

XIF - Image file eXtended by ScanSoft is similar to TIFF and is a Pajis application format.

XLS - Microsoft Excel Spreadsheet.

XLT - Microsoft Excel Template.

XML - Extensible markup language.

XSL - XML style sheet.

ZIP - Compressed Zip archive.